


LASH LABORATORIES



Telephone (714) 283-2208

6152 Mission Gorge Road / San Diego, California 92120

NEW - - - - 2-MIL PYROTRAK® +500°F MAGNETIC TAPE

PYROTRAK's smooth metal coated Kapton* construction provides these features:

- 25% HIGHER TAPE STRENGTH THAN CONVENTIONAL TAPE OF COMPARABLE THICKNESS
- CONTINUOUS OPERATION AT TEMPERATURES FROM -100° TO +500°F
- ELECTROSTATIC CHARGE BUILD-UP ELIMINATED
- LAYER-TO-LAYER ADHESION ELIMINATED
- LONGER MAINTENANCE-FREE TAPE LIFE

Lash Laboratories is now offering two-mil tape as a standard product to fill needs in computers and instrumentation recorders that are geared to handle this tape thickness. PYROTRAK high temperature (500°F) magnetic recording tape was introduced last year and has been available until now, only in a one-mil (overall) thickness. The metal plated Kapton film base provides PYROTRAK with a working temperature range from -100°F to +500°F.

Compared to conventional oxide tapes, the new two-mil PYROTRAK tape provides greater strength together with its unmatched extreme temperature resistance. The two-mil PYROTRAK recording tape is actually two-mils in total thickness and is, therefore, equal in overall thickness to 1-1/2 mil (base) tapes offered by other tape manufacturers. PYROTRAK's Kapton base, however, is 1.9 mils thick while its metallic recording surface is only 0.1 mils thick. This configuration, therefore, provides more than a 25% increase in tape strength over comparable thicknesses in oxide tapes.

Prices for both the one and two-mil thick PYROTRAK tapes are shown on the attached price list. For additional information, write for our technical brochure or call the above number.

*du Pont trademark

A DIVISION OF LASH MANUFACTURING, INCORPORATED



Effective May 1966

PYROTRAK® PRICE LIST

Standard wideband tape featuring high packing density and high resolution.

For service within the range -100 °F to +500 °F.

TYPE MH

Base - 0.9 mils Kapton*

Coating - 0.1 mils Metal

Catalog Type	Description	Reel Size	Price per Reel ¹	
			1-5	6-15
MHE	1/4" x 300'	7" Plastic	30.00	28.00
MHF	1/4" x 600'	7" Plastic	49.75	47.60
MHG	1/4" x 1200'	7" Plastic	83.80	79.55
MHO	1/2" x 300'	6" Aluminum NAB	49.75	47.60
MHP	1/2" x 600'	6" Aluminum NAB	83.80	79.55
MHQ	1/2" x 1200'	7" Aluminum NAB	136.75	129.85
MHS	1" x 300'	6" Aluminum NAB	79.50	75.25
MHT	1" x 600'	6" Aluminum NAB	131.60	126.75
MHU	1" x 1200'	7" Aluminum NAB	219.40	211.45

TYPE RH

Base - 1.9 mils Kapton*

Coating - 0.1 mils Metal

Catalog Type	Description	Reel Size	Price per Reel ¹	
			1-5	6-15
RHE	1/4" x 300'	7" Plastic	31.22	29.22
RHF	1/4" x 600'	7" Plastic	52.19	50.04
RHG	1/4" x 1200'	7" Plastic	88.68	84.43
RHO	1/2" x 300'	6" Aluminum NAB	52.19	50.94
RHP	1/2" x 600'	7" Aluminum NAB	88.68	84.43
RHQ	1/2" x 1200'	8" Aluminum NAB	146.50	139.60
RHS	1" x 300'	6" Aluminum NAB	84.38	80.13
RHT	1" x 600'	7" Aluminum NAB	141.35	136.50
RHU	1" x 1200'	8" Aluminum NAB	238.90	230.95

*du Pont trademark

¹For prices on quantities over 15, write for special quotation.

DIMENSIONAL SPECIFICATIONS

Tape Length:	300' $\begin{smallmatrix} +25 \\ -0 \end{smallmatrix}$	Tape Width:	.247" $\pm .002$ "
	600' $\begin{smallmatrix} +25 \\ -0 \end{smallmatrix}$.498" $\pm .001$ "
	1200' $\begin{smallmatrix} +25 \\ -0 \end{smallmatrix}$.998" $\pm .001$ "

The above are standard sizes. Prices and specifications for sizes and lengths not shown above will be furnished on request.

AVAILABLE SPECIAL CONFIGURATIONS

PYROTRAK magnetic recording tape can also be supplied in several different configurations and with either the standard or a high output magnetic coating. The following configurations are available by special order.

Type

- MC Standard magnetic coating on one side only and conductive metal (nonmagnetic) coating on opposite side.
- MD Standard magnetic coating on both sides of tape.
- XC High output magnetic coating on one side and conductive metal (non-magnetic) coating on opposite side.
- XD High output magnetic coating on both sides of tape.

-ORDERING INFORMATION-

TERMS: Net 30 days.

TRANSPORTATION CHARGES: Transportation charges will be prepaid on all orders of \$300.00 or more. Prices shown are F. O. B. San Diego, California. Title passing at point of shipment.

TAXES: Prices shown on the attached list do not include any applicable state or local taxes.

DELIVERY: Where possible, orders will be filled from stock. When stock is insufficient to fill certain orders, then anticipated shipping dates will be specified by return order acknowledgement. In most cases shipment of unstocked sizes will be made in four weeks or less.

ORDERS: All orders should be addressed to:

Phone (714) 283-2208

LASH LABORATORIES
6152 MISSION GORGE ROAD
SAN DIEGO, CALIFORNIA 92120

WARRANTY: PYROTRAK tape is warranted for a period of 90 days to be free from defects in manufacture, labeling, or packaging. Liability is limited to replacement of tape if defective. There are no other warranties express or implied. It shall be the user's responsibility to determine the suitability of the product for his intended use.